

The logo for Precision Instruments Corp is a horizontal bar divided into two sections. The left section is orange and the right section is black. The text "Precision Instruments Corp" is written in white, sans-serif font across the bar.

Precision Instruments Corp

Surgical Instruments

Uterus-Dilatatoren Uterine Dilators Dilatadores uterinos



mm Ø	with sloped handle	with serrated handle	with tube	
1,0	1-400-01		1-410-01	
1,5		1-401-01		
2,0	1-400-02		1-410-02	
2,5		1-401-02		
3,0	1-400-03		1-410-03	
3,5		1-401-03		
4,0	1-400-04		1-410-04	1-420-04
4,5		1-401-04		
5,0	1-400-05		1-410-05	1-420-05
5,5		1-401-05		
6,0	1-400-06		1-410-06	1-420-06
6,5		1-401-06		
7,0	1-400-07		1-410-07	1-420-07
7,5		1-401-07		
8,0	1-400-08		1-410-08	1-420-08
8,5		1-401-08		
9,0	1-400-09		1-410-09	1-420-09
9,5		1-401-09		
10,0	1-400-10		1-410-10	1-420-10
10,5		1-401-10		
11,0	1-400-11		1-410-11	1-420-11
11,5		1-401-11		
12,0	1-400-12		1-410-12	1-420-12
12,5		1-401-12		
13,0	1-400-13		1-410-13	1-420-13
13,5		1-401-13		
14,0	1-400-14		1-410-14	1-420-14
14,5		1-401-14		
15,0	1-400-15		1-410-15	1-420-15
15,5		1-401-15		
16,0	1-400-16		1-410-16	1-420-16
16,5		1-401-16		
17,0	1-400-17		1-410-17	1-420-17
17,5		1-401-17		
18,0	1-400-18			1-420-18
18,5		1-401-18		
19,0	1-400-19			1-420-19
19,5		1-401-19		
20,0	1-400-20			1-420-20
21,0	1-400-21			1-420-21
22,0	1-400-22			1-420-22
23,0	1-400-23			1-420-23
24,0	1-400-24			1-420-24
25,0	1-400-25			1-420-25
26,0	1-400-26			1-420-26
27,0	1-400-27			
28,0	1-400-28			
29,0	1-400-29			
30,0	1-400-30			

pieces per set		Set	Set	Set
14	4,0–17,0	1-400-80	1-410-80	1-420-80
23	4,0–26,0			1-420-85
26	1,0–26,0	1-400-90	1-410-90	

Uterus-Dilatatoren Uterine Dilators Dilatadores uterinos



mm Ø	
1,0/ 2,0	1-430-02
3,0/ 4,0	1-430-04
5,0/ 6,0	1-430-06
7,0/ 8,0	1-430-08
9,0/10,0	1-430-10
11,0/12,0	1-430-12
13,0/14,0	1-430-14
15,0/16,0	1-430-16
17,0/18,0	1-430-18
19,0/20,0	1-430-20
21,0/22,0	1-430-22
23,0/24,0	1-430-24
25,0/26,0	1-430-26



1-430-80
Set of 8 dilators 3.0/4.0–17.0/18.0 mm Ø

1-430-90
Set of 13 dilators 1.0/2.0–25.0/26.0 mm Ø

1-430-02 – 1-430-26

with conical point, double
from 1.0/2.0–25.0/26.0 mm Ø, sing